



At the heart of the 'mage TM



COOLPIX. LIFE

memories made easy

memories made easy



Memories with ease. Pictures that please.











NEW Vibration Reduction

Stability Advanced - Images Enhanced





without vibration reduction

with vibration reduction

You can shoot sharper, clearer and without blur with Nikon's ingenious Vibration Reduction. Detects and corrects for camera movement to give you rock-steady results time after time.

NEW One-Touch PortraitPerfect portraits at your fingertips!



With the One-Touch portrait button, it's easier than ever before to get great-looking results. Your shortcut to three unique innovations, it offers instant access to Face-Priority AF and In-Camera Red-Eye Fix™ for optimized image capture and lets you transform exposure after the fact with Nikon's powerful D-Lighting advantage.



5x Optical Zoom-Nikkor Glass Lens High quality lenses deliver high quality pictures.







105mm

190mm

The Zoom-Nikkor Glass Lens gives you the power of a 5x optical zoom lens, 38mm-190mm (35mm equivalent), plus 4x digital zoom equals 20x zoom range. Macro capability lets you get as close as 1.6 inches. This combination is supported by Nikon's world-renowned optical technology delivering crisp, clear images.

Nikon In-Camera Innovations

Makes taking great pictures effortless.





In-Camera Red-Eye Fix™ Automatically detects and fixes most typical occurrences of red-eye. You may never see red-eye again.





D-Lighting In playback mode, D-Lighting will compensate for underexposed images or insufficient flash by automatically adding light and detail to selected shots where needed — without affecting properly exposed areas.



Face-Priority AF Automatically finds the subject's face and focuses on it to ensure superb portraits with crisp focus.



In Camera Cropping
Allows you to crop out the part of
the image you don't want and keep
the part you like.

Best Shot Selector

enables the camera to take a series of photos and automatically select the one with the sharpest focus.

Saturation Mode

allows you to control the color saturation.

Voice Memo Function

records up to 20 seconds of sound that can then be attached to an image.

Noise Reduction Mode

minimizes digital artifacts in long exposures.

Blur Warning

alerts you to a blurry image.

Movie Recording with Sound

allows you to record movies in three modes; TV movie size (640), small size (320) and smaller (160) for extended recording or internet usage.

Intuitive Automatic Features

Simply Smart





Sunset Close Up







Landscape





























The **COOLPIX L5** features 15 specially programmed modes to automatically handle focus, exposure, white balance and other adjustments that help you take great pictures easily. Plus 4 of the 15 scene modes come with Scene Assist which offers a selection options to help you compose your pictures with the assistance of framing guides displayed in the monitor.

Incredible, Bright 2.5" LCD Makes shooting and sharing images easier.



The **COOLPIX L5** is equipped with an incredible 2.5" LCD great for viewing images anywhere, anytime. The 115,000 dot LCD monitor with LED backlight makes composing and playing back images easy!

In-Camera Color Options & QuickTime™ Movie with Sound



Standard



Vivid Color



Black and White



Sepia



Cool



Shoot a Quicktime Movie with sound at up to 30 frames per second.

PictureProject™ Software and Great Accessories



Five color shooting options.

PictureProject adds value to the entire photographic experience. Supplied with each and every **COOLPIX** camera, this unique, user-friendly software simplifies picture editing and makes it easy to organize and share images with family and friends. Just touch the transfer button to upload images to your computer using the supplied PictureProject software and supplied USB cable.



L5 Camera Case



AC Adapter EH-65A



Battery Recharger MH-71, NiMH-AA type batteries



Rechargeable Battery NiMH

The COOLPIX L5 is compatible with AA alkaline batteries giving you photo power wherever you go!

Transfer Directly to Printer, TV or Web



Print directly from your camera

You can transfer images directly to print, without the need of a PC, when using PictBridge and USB Direct Print compatible printers.

Connect directly to your TV

Show friends and family the results on a grand scale with the supplied video cable.

COOLPIX L5



Actual size L5 3.6"w x 2.4"h x 1.8"d (only 6.0 oz!)



Incredible, Bright 2.5" LCD Monitor for high visibility in daylight



Fantastic Features We thought of everything!

COOLPIX L5 7.1 Megapixels for beautiful prints up to 16 x 20 inches.

Vibration Reduction for steady shooting.

High Quality 5x Optical Zoom-Nikkor Glass Lens for incredibly sharp, clear images.

Incredible, Bright 2.5 Inch LCD for easy viewing and playback of pictures.

One-Touch Portrait button gives instant access to 3 Nikon Image innovations, Red Eye Fix, Face Priority AF and D-Lighting.

Nikon In-Camera Red-Eye Fix™ automatically fixes most instances of red-eye.

Nikon D-Lighting automatically brightens the dark areas in the picture when in playback mode.

Face-Priority AF automatically finds a face and focuses on it for crisp, sharp portraits.

15 Scene Modes, 4 with Scene Assist, to guide you in taking better pictures, easily and automatically.

In-Camera Help button instantly displays an explanation for all the functions within all menus

Take Great Close-Up Pictures

with the ability to focus as close as 1.6 inches from your subject.

TV Quality Movie Mode with sound available at 30 frames per second.

Print Directly to a Printer by connecting directly to a PictBridge-compatible printer.

COOLPIX L5

Digital Camera Specifications

Compact digital camera Туре

Product Name COOLPIX L5 7.2 million Effective pixels

1/2.5-inch type (7.41 million total pixels) CCD

7M: Fine (3072 x 2304), 7M: normal (3072 x 2304), 5M: normal (2592 x 1944), 3M: economy (2048 x 1536), PC (1024 x 768), TV (640 x 480) **Image modes**

5x Zoom-Nikkor; 6.3-31.4mm (35mm [135] format equivalent to 38-190mm); f/2.9-5.0; 9 elements in 7 groups; Digital zoom: up to 4x Lens

Vibration Reduction Optical Lens Shift: Normal, Active, and Off Modes (user selectable)

50cm (1 ft. 8 in.) to infinity (∞), 4cm (1.6 in.) to infinity (∞) in Macro **Focus range**

2.5-inch type, 115,000-dot TFT LCD monitor with brightness LCD monitor

adjustment

Storage media Internal memory: approx. 8MB, SD memory card

Shooting modes Auto, Scene Assist (Portrait, Landscape, Sports, Night portrait), Scene (Party/Indoor, Beach/Snow, Sunset, Dusk/Dawn, Night landscape, Close up, Museum, Fireworks show, Copy, Back light, Panorama assist), BSS (Best Shot Selector), Color Options, Blur

Warning, Date Imprint, Self-timer (10 sec.)

With sound: TV movie (640) at 30fps, Small size (320) at 30fps, Smaller size (160) at 30fps Movie

1) Single, 2) Continuous (approx. 0.7fps), 3) Multi-shot 16 (16 frames Capture modes

7M Fine: approx. 2, 7M Normal approx. 4, 3M economy approx. 10 Number of frames

Built-in flash Range: 0.5-5.5m/ 1 ft. 8 in. - 18.0 ft. (W), 0.6-4m/ 1 ft. 9.6 in.

- 13.1 ft. (T); Flash modes: Auto, Auto with Red-eye Reduction (In-Camera Red-Eye Fix $^{\mathbb{N}}$), Off, Fill flash and Slow sync.

Interface

German/English/Spanish/French/Italian/Dutch/Swedish/Japanese/ Supported languages Simplified Chinese/Traditional Chinese/Korean/Russian selectable in

menu display

Power requirements

LR6 alkaline batteries (included), Two AA-size batteries (Rechargeable Ni-MH Battery EN-MH1-AA with Battery Charger MH-71) (optional), oxy-nickel batteries (optional) and lithium batteries (optional), AC

Approx. 150 shots with alkaline or 250 shots with EN-MH1-AA Batteries Battery life (approx.)

Dimensions (W x H x D) Approx. 91 x 61 x 45mm (3.6 x 2.4 x 1.8 in.)

Approx. 170g (6.0 oz.) (without battery and memory card) Weight:

2 LR6 alkaline batteries, Strap, USB Cable UC-E6, Audio Video Cable EG-CP14, PictureProject CD-ROM Supplied accessories †

AC Adapter EH-65A, Rechargeable Ni-MH Battery EN-MH1-B2, Battery **Optional accessories:**

* Industry standard for measuring life of camera batteries. Measured at 25°C (77°F); zoom adjusted with each shot, built-in flash fired with every other shot, image mode set to Normal

† Supplied accessories may differ by country or area.

PictureProject System Requirements

Macintosh: Mac® OS X version 10.1.5 or later (version 10.2.8 or later required for Burn Disc option) / Windows: Windows® XP Home Edition/Professional, Windows® 2000 Professional, Windows® Me, Windows® 98SE pre-installed models

Microsoft® and Windows® are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries. Macintosh® and QuickTime® are either registered trademarks or trademarks of Apple Computer Inc. in the United States and/or other countries. The FotoNation logo is a trademark. The SD logo is a trademark. PictBridge is a trademark. D-Lighting technology is provided by Apical Limited. Face-priority AF technology is provided by Identix®. Products and brand names are trademarks or registered trademarks of their respective companies.

Specifications and equipment are subject to change without any notice or obligation on the part of the manufacturer. August 2006 ©2006 Nikon Inc.



Everything you need to get started!

2 AA-type alkaline batteries, USB Cable UC-E6, Audio Video Cable ÉG-CP14, Strap, PictureProject CD-ROM





























