



COOLPIX L14

At the heart of the image™



COOLPIX LIFE

brilliance made beautiful

7.1

Effective
Megapixels

3X

Optical
Zoom-Nikkor
Glass Lens

2.4"

Incredible,
Bright LCD
Screen

1000

ISO
Capability

1000

Shots with
Energizer® e2®
Lithium Batteries

World's Longest Battery Life with 1000 Shots



Key Features

Easy Auto mode for great pictures – anytime!

7.1 Megapixels for stunning prints as large as 16 x 20 inches

3x Optical Zoom-Nikkor Glass Lens gets you close to the action

Incredible, Bright 2.4-inch LCD makes it easy to view and share pictures

Capture 1000 shots with the included Energizer® e²® lithium AA batteries

Adjusts up to ISO 1000 to keep shooting even in lower light

In-Camera Red-Eye Fix™ automatically fixes most instances of red-eye in the camera. You may never see red-eye again

Face-Priority AF – Nikon's face-finding technology that automatically focuses on faces

D-Lighting rescues dark or backlit images by improving brightness and detail where needed





Imagine being able to shoot pictures without the worry of missing that incredible moment because your batteries have died? With the COOLPIX L14 and the included pair of Energizer®e²® lithium AA batteries you will never miss that moment.

Dedicated Shooting and Playback Buttons



A press of the dedicated buttons realizes quick and intuitive mode switching. Shooting settings can be made via the Shooting mode button.

Easy Auto Mode

Easy Auto mode makes photography even easier by taking control of settings, so you simply turn on the camera and shoot without worrying about them.

7.1 Effective Megapixel Clarity

An impressively high megapixel count delivers pictures with true-to-life color and high-level detail. What's more, it means images can be significantly enlarged, yet still look absolutely stunning.

AA-size battery compatible for power replenishment anywhere

Compatibility with AA-size batteries, which are widely available around the world, means users can go on shooting virtually anywhere without worrying about recharging or running out of power.

ISO 1000 Capability



Better pictures in lower light

Accurately measuring available light, the COOLPIX L14 automatically selects the best sensitivity setting. And with an impressive sensitivity range up to ISO 1000, it's easy to take great-looking pictures in low light conditions.

Nikon In-Camera Innovations Makes taking great pictures effortless!




In-Camera Red-EyeFix™ This in-camera feature automatically fixes most typical occurrences of red-eye.



D-Lighting

Compensates for underexposed images or insufficient flash by automatically adding light and detail to selected shots where needed, without affecting properly exposed areas.



Simply better portraits

Face-Priority AF Automatically finds and focuses on people's faces to ensure superb portraits with clear, crisp focus.

COOLPIX L14

Digital Camera Specifications



Simply better
portraits

Better pictures
in lower light

Effective pixels:	7.1 million
Image sensor:	1/2.5-in. CCD; total pixels: approx. 7.38 million
Lens:	3x Zoom-NIKKOR; 6.3-18.9mm (35mm [135] format picture angle: 38-114mm); f/3.1-5.9; 6 elements in 5 groups; Digital zoom: up to 4x (35mm [135] format picture angle: 456mm)
Focus range: (from lens)	60cm (2 ft.) to infinity (∞), Macro close-up mode: 10cm (3.9 in.) to infinity (∞)
Monitor:	2.4-in., 115,000-dot, TFT LCD with anti-reflection coating
Storage media:	Internal memory (approx. 23 MB), SD/SDHC memory card compatible
Image size:	3072 x 2304 (High: 3072*, Normal: 3072), 2048 x 1536 (Normal: 2048), 1024 x 768 (PC screen), 640 x 480 (TV screen), 3072 x 1728 (16:9)
ISO sensitivity:	Auto (auto gain ISO 64-1000)
Interface:	USB
Power sources:	Two AA Energizer® e ² lithium (supplied), alkaline or oxyride batteries, two EN-MH1 rechargeable Ni-MH batteries (optional), AC Adapter EH-65A (optional)
Battery life:	Approx. 1000 shots with lithium, 440 shots with alkaline or 520 shots with EN-MH1 batteries (based on CIPA standard)
Dimensions: (WxHxD)	Approx. 90.5 x 61.5 x 26 mm (3.6 x 2.4 x 1.1 in.) excluding projections
Weight:	Approx. 115 g (4.1 oz.) without battery and SD memory card
Supplied accessories*:	Two AA Energizer® e ² lithium batteries, USB Cable UC-E6, Audio Video Cable EG-CP14, Strap AN-CP14, COOLPIX Software Suite CD-ROM
Optional accessories:	Battery Charger MH-71, Ni-MH Rechargeable Battery EN-MH1, AC Adapter EH-65A

*Supplied accessories may differ by country or area.

System Requirements:

OS **Macintosh:** Mac OS X version 10.3.9, 10.4.x
Windows: WindowsVista (32bit), Windows XP Home Edition/Professional
pre-installed models

Note: CD-ROM drive required for installation. Only built-in USB ports are supported

Microsoft®, Windows® and Windows Vista™ are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries. Macintosh®, Mac® OS and QuickTime® are either registered trademarks or trademarks of Apple Inc. in the United States and/or other countries. The SDHC logo is a trademark. ImageLink and ImageLink print system logo are trademarks of Eastman Kodak Company. PictBridge is a trademark. D-Lighting technology is provided by Apical Limited. The FotoNation logo is a trademark. The FotoConnect logo is a trademark. Products and brand names are trademarks or registered trademarks of their respective companies.

Specifications and equipment are subject to change without any notice or obligation on the part of the manufacturer. August 2007 ©2007 NIKON INC.



Nikon Inc.,
1300 Walt Whitman Road, Melville, N.Y. 11747-3064 nikonusa.com / 1800-Nikon-UX